


TOLSEN

10501 ANGLE GRINDER STAND

INSTRUCTION MANUAL





115mm/125mm



SAVE THIS MANUAL !

You will need this manual for safety instructions, operating procedures and warranty.
Put it and the original sales receipt in a safe dry place for future reference.







TOLSEN



Introduction

Please read the manual thoroughly before bringing this device into service. If the device was damaged in transit, do not install or use it and contact your dealer. Damage caused by disregard of certain guidelines in this manual is not covered by the warranty and the dealer will not accept responsibility for any ensuing defects or problems.

Safety Instructions

	Keep away from children and unauthorised users.
	Always wear protective gloves during use.
	Always wear a suitable dust mask during use.
	Always wear protective eyeglasses during use.
	Do not use in an explosive atmosphere.
	The drill bit and work piece may become extremely hot. Do not touch with bare hands.

General Guidelines

1. Protect this device from shocks and abuse. Avoid brute force when operating the device.
2. Protect the device against extreme heat, dust and moisture.
3. Familiarise yourself with the functions of the device before actually using it.
4. All modifications of the device are forbidden for safety reasons.
5. Only use the device for its intended purpose. Using the device in an unauthorised way will void the warranty.
6. Damage to grinder, grinding disc, work pieces or any personal injury resulting from the use of this device is not covered by the warranty.

Features

1. suitable for angle grinders with 115/125mm disc
2. base with holes for secure bench mounting
3. adjustable holding angle
4. easy to assemble

Overview

Refer to the illustrations on page 2 of this manual.

1	Base	16	Screw M6
2	Stand	17	Screw holder
3	Washer	18	Screw knob
4	Screw	19	Screw M8
5	M6Screw	20	Round clamp
6	M8Stand (Top)	21	Washer
7	Top adjusting screw	22	Square nut
8	Screw	23	Clamp
9	Nut	24	Angle clamp
10	Handle	25	Screw M8
11	Guard wire	26	Washer
12	Protective plastic guard	27	Screw M5
13	Bottom adjusting screw	28	Nut
14	Angle grinder holder	29	Nut
15	Round plastic ring		

TOLSEN

ASSEMBLY

1. Fix stand (2) onto base (1) with washers (3) and tighten with screws (4).
2. Fix the top/bottom adjusting screws (7) and (13) at the top/bottom holes of stand respectively.
3. Fix two angle grinder holders (14) and round plastic ring (15) onto the stand by tighten screws (5).
4. Fix the handle (10) onto the stand with the washer (21) and nut provided.
5. Fix the angle grinder onto the holders with screws (8) and nuts (9). * There are 3 different diameters of screws (8) and nuts (9) (M6, M8 M10). Select suitable screws that match with the fixing nut of angle grinder. For using M6, M8 screws, please also fix with the provided plastic ring on the holder first. (Please refer to diagram 2)
6. Adjust the adjusting screws (7) & (13) to ensure that the cutting blade is vertical with base and the angle grinder is fixed securely.
7. Press down the handle and check the position of cutting blade if it is within the cutting hole of base. If not, loosen the screws (4) and adjust the position of the stand.
8. Fix the protective guard as per diagram C & D.
9. Run the grinder for a few seconds. Switch off and check that all screws, nuts and bolts are still tight.

Use

Clamp work piece: Rotate the screw knob (18) and loosen the clamp (23). Put work piece in the clamp and then tighten the screw to hold the work piece securely.

Adjust the position and angle of work piece: Loosen the screws (25) to adjust the position and angle of the clamp (24). Tighten the screws after the position is adjusted. Please ensure that the work piece

should be in the centre of cutting disc. **Cutting:** Switch on the angle grinder and press down handle (10) to cut the work piece with the angle grinder. Attention: Start cutting with slight force and apply even force during cutting.

Technical specifications

Base size	240x190mm
overall size	240x190x290mm
weight	2.8kg

Use this device with original accessories only. TOLSEN cannot be held responsible in the event of damage or injury resulted from (incorrect) use of this device. For more info concerning this product, please visit our website www.tolsentools.com The information in this manual is subject to change without prior notice.

SUZHOU TOLSEN
TOOLS CO., LTD.

www.tolsentools.com

MADE IN CHINA



SCAN TO VISIT
PRODUCT LINK