# TOLSEN


45069

SAFETY GOGGLE (CLEAR)

INDUSTRIAL J

**INSTRUCTION MANUAL** 





#### SAVE THIS MANUAL!

You will need this manual for safety instructions, operating procedures and warranty. Put it and the original sales receipt in a safe dry place for future reference.



This eyewear satisfies the requirements of the European Directive for Personal Protective Equipment (PPE) 89/686/EEC and has been manufactured in accordance with the Requirements of the European Technical Performance standard EN166:2001.Meanwhile, this eyewear satisfies the requirements of ANSI/ISEA Z87.1-2010 American National Standard of Occupational and Educational Personal Eye and Face Protection Devices. This eyewear is for your personal safety of eye protection.

#### **Usage**

You should always check with your supervisor or safety officer to confirm that the protection offered by the pair of eyewear adequate production for your work environment. Spectacles offer protection against high speed low energy particles. They are Class 1 optical and can be worn all day in a normal working environment.

#### **General Instructions**

- This product is not supplied with any accessories.
- It is advised that you kept this eyewear in a protective bag or box when in transportation or not in use.
- Maximum product life is 2 years.
- It is advised that this eyewear should not be worn over prescription frames, as there is the possibility that impact may be transmitted to the prescription frame and thus creates a hazard for wearer.
- Whereas the material used in the constructing of this product has been deemed hypo-allergic it is still possible there may be some allergic reaction experienced by susceptible people.

The user should check for any such reaction and cease use of product if any reaction is observed.

#### **Warning**

• This eyewear offers no protection against IR radiation and thus should not be used as primary protection in environments where dangerous levels of IR radiation are present,

### **TOLSEN**

for example where welding operations are carried out or the casting of molten metal.


- Check the eyewear regularly for noticeable scratching, pitting or any other damage to the lens. Scratching, pitting, or other damage to the lens can seriously reduce the level of impact protection provided by the product. Such product immediately be discarded and replaced.
- If protection against high speed particles at extremes of temperature is required then the selected eye protector should be marked with the letter T immediately after the impact letter, i.e. FT, BT or AT. If the impact letter is not followed by the letter T then the eye protector shall only be used against high speed particles at room temperature.
- No parts on this eyewear are replaceable or interchangeable. If any part of the eyewear is deemed unfit for use then the whole product should be discarded.

#### **Storage**

Spectacles should be stores at temp above 5C and below 40C, RH, 90% and kept away from solvents, or solvent vapors or any corrosive materials, as these may seriously reduce the impact protection provided by the spectacle.

#### **Cleaning**

This eyewear can be cleaned with soap and warm water. This eyewear can be disinfected with any common household disinfectant. Whereas the lens is hard-coated to provide a certain level of scratch resistance, they are not scratch proof and it is recommended that wiping of lens be kept to a minimum and only done so with a soft non abrasive cloth.



## SUZHOU TOLSEN TOOLS CO.,LTD.

www.tolsentools.com

TOLSEN is a trademark or registered trademark of TOLSEN TOOLS. All rights reserved. MADE IN CHINA





